

Behöver du hjälp? Kontakta någon av våra innesäljare!


Bricka, DIN 125

SR 1940

Naturfärgad Nylon 6.6



- Måttolerans enl. angiven DIN standard.



| Detaljnr. | Dimensioner (mm) | | | Antal/förp. |
|--------------|------------------|------|-----|-------------|
| | d | D | H | |
| 8042560000VR | 2.2 | 5.0 | 0.5 | 1000 |
| 8042780000VR | 2.2 | 5.0 | 1.0 | 1000 |
| 8042690000VR | 2.3 | 4.8 | 0.5 | 1000 |
| 1006440000VR | 2.5 | 8.0 | 1.0 | 1000 |
| 1110210400VR | 2.6 | 5.0 | 2.0 | 1000 |
| 1110220400VR | 2.6 | 5.0 | 3.0 | 1000 |
| 041025000001 | 2.7 | 5.0 | 1.0 | 1000 |
| 003025100001 | 2.7 | 6.5 | 0.5 | 1000 |
| 003025000001 | 2.7 | 6.8 | 1.1 | 1000 |
| 003020200001 | 2.7 | 8.0 | 1.0 | 1000 |
| 1001080000VR | 2.7 | 9.0 | 1.0 | 1000 |
| 1008360000VR | 2.7 | 10.0 | 1.0 | 1000 |
| 1008370000VR | 2.7 | 12.0 | 1.0 | 1000 |
| 1007870000VR | 3.0 | 7.0 | 1.0 | 1000 |
| 1007880000VR | 3.0 | 8.0 | 2.5 | 1000 |
| 1009920000VR | 3.4 | 10.0 | 2.0 | 1000 |
| 1110300400VR | 3.1 | 5.0 | 2.0 | 1000 |
| 1110310400VR | 3.1 | 5.0 | 3.0 | 1000 |
| 1006020000VR | 3.1 | 6.0 | 1.0 | 1000 |
| 1112130000VR | 3.1 | 8.0 | 3.0 | 1000 |
| 1005190000VR | 3.2 | 6.0 | 2.0 | 1000 |
| 003030500001 | 3.2 | 7.0 | 0.5 | 1000 |
| 1006500000VR | 3.2 | 7.0 | 1.4 | 1000 |
| 8042400000VR | 3.2 | 7.2 | 1.0 | 1000 |
| 1001120000VR | 3.2 | 8.1 | 1.5 | 1000 |
| 1000080000VR | 3.2 | 10.0 | 0.8 | 1000 |
| 1008010000VR | 3.2 | 12.8 | 0.8 | 1000 |
| 033030100001 | 3.2 | 15.0 | 1.5 | 500 |
| 1006530000VR | 3.3 | 8.0 | 1.0 | 1000 |
| 1008330000VR | 3.5 | 7.0 | 1.0 | 1000 |
| 003030300001 | 3.5 | 8.0 | 1.0 | 1000 |
| 1001130000VR | 3.6 | 6.0 | 2.5 | 1000 |
| 1005220000VR | 3.6 | 8.0 | 0.8 | 1000 |
| 1008020000VR | 3.7 | 7.0 | 0.5 | 1000 |
| 1009930000VR | 4.0 | 7.0 | 2.0 | 1000 |
| 1000630000VR | 4.0 | 17.5 | 3.2 | 1000 |
| 1006540000VR | 4.1 | 10.0 | 1.0 | 1000 |
| 1001170000VR | 4.2 | 8.0 | 1.2 | 1000 |
| 1001180000VR | 4.2 | 8.0 | 2.0 | 1000 |
| 1110560000VR | 4.2 | 8.0 | 3.0 | 1000 |
| 1009790000VR | 4.2 | 9.0 | 2.5 | 1000 |
| 0040080000VR | 4.2 | 10.0 | 0.8 | 1000 |
| 1001200000VR | 4.2 | 10.0 | 1.0 | 1000 |
| 1001210000VR | 4.2 | 10.0 | 1.2 | 1000 |
| 1007900000VR | 4.2 | 10.0 | 1.5 | 1000 |
| 1001300000VR | 4.2 | 10.0 | 2.0 | 1000 |
| 1008030000VR | 4.3 | 7.0 | 0.5 | 1000 |
| 1006550000VR | 4.3 | 7.0 | 2.0 | 1000 |
| 1008040000VR | 4.3 | 8.0 | 0.8 | 1000 |
| 003040700001 | 4.3 | 9.0 | 0.8 | 1000 |
| 1006570000VR | 4.3 | 9.0 | 1.4 | 1000 |
| 1008130000VR | 4.3 | 10.0 | 1.0 | 1000 |
| 1008050000VR | 4.3 | 12.8 | 0.8 | 1000 |
| 1000750000VR | 4.3 | 18.0 | 1.5 | 1000 |
| 1006590000VR | 4.3 | 18.0 | 2.0 | 1000 |
| 1004710000VR | 4.4 | 12.0 | 2.0 | 1000 |
| 1005090000VR | 4.5 | 26.0 | 2.0 | 1000 |
| 1008060000VR | 4.9 | 8.0 | 0.8 | 1000 |
| 1008070000VR | 4.9 | 9.0 | 0.8 | 1000 |
| 1008080000VR | 4.9 | 10.0 | 0.8 | 1000 |
| 1006610000VR | 4.9 | 12.7 | 1.4 | 1000 |
| 1006620000VR | 4.9 | 12.7 | 3.2 | 1000 |

| Detaljnr. | Dimensioner (mm) | | | Antal/förp. |
|--------------|------------------|------|-----|-------------|
| | d | D | H | |
| 1008280000VR | 4.9 | 12.8 | 0.8 | 1000 |
| 1006630000VR | 4.9 | 15.9 | 2.5 | 1000 |
| 1006640000VR | 4.9 | 22.2 | 1.0 | 1000 |
| 1007910000VR | 5.0 | 12.0 | 1.0 | 1000 |
| 1005030000VR | 5.1 | 11.1 | 2.4 | 1000 |
| 1008660000VR | 5.2 | 8.0 | 2.0 | 1000 |
| 1008380000VR | 5.2 | 9.0 | 1.0 | 1000 |
| 1000210000VR | 5.2 | 10.0 | 1.0 | 1000 |
| 1001240000VR | 5.2 | 10.0 | 3.0 | 1000 |
| 0040100000VR | 5.2 | 12.0 | 1.0 | 1000 |
| 1007090000VR | 5.3 | 12.0 | 1.6 | 1000 |
| 1007100000VR | 5.3 | 12.5 | 1.6 | 1000 |
| 1020180000VR | 5.3 | 15.0 | 1.5 | 1000 |
| 1020260000VR | 5.3 | 15.0 | 1.6 | 1000 |
| 1007110000VR | 5.3 | 17.0 | 1.6 | 1000 |
| 1007080000VR | 5.3 | 18.0 | 1.5 | 1000 |
| 003050100001 | 5.3 | 20.0 | 3.0 | 1000 |
| 033050000001 | 5.3 | 25.0 | 2.5 | 500 |
| 1008090000VR | 5.5 | 8.0 | 0.8 | 1000 |
| 1001890000VR | 5.5 | 9.0 | 0.8 | 1000 |
| 1008100000VR | 5.5 | 10.0 | 0.8 | 1000 |
| 1008110000VR | 5.5 | 12.8 | 0.8 | 1000 |
| 1008300000VR | 5.7 | 9.0 | 2.3 | 1000 |
| 1005320000VR | 5.8 | 10.0 | 0.8 | 1000 |
| 1002530000VR | 6.0 | 12.0 | 1.0 | 1000 |
| 1000260000VR | 6.1 | 11.0 | 1.0 | 1000 |
| 1000270000VR | 6.1 | 16.0 | 1.0 | 1000 |
| 1008680000VR | 6.2 | 10.0 | 1.0 | 1000 |
| 1001310000VR | 6.2 | 12.0 | 1.0 | 1000 |
| 1001320000VR | 6.2 | 12.0 | 2.0 | 1000 |
| 1001330000VR | 6.2 | 12.0 | 3.0 | 1000 |
| 0040140000VR | 6.2 | 14.0 | 1.2 | 1000 |
| 1008700000VR | 6.2 | 16.0 | 1.0 | 1000 |
| 1004570000VR | 6.2 | 22.0 | 2.0 | 1000 |
| 1007920000VR | 6.3 | 14.0 | 1.0 | 1000 |
| 1000280000VR | 6.3 | 16.0 | 3.0 | 1000 |
| 1006670000VR | 6.4 | 10.0 | 2.5 | 1000 |
| 0050300000VR | 6.4 | 12.5 | 1.6 | 1000 |
| 1002300000VR | 6.4 | 14.0 | 1.5 | 1000 |
| 1007510000VR | 6.4 | 15.0 | 1.5 | 1000 |
| 1008200000VR | 6.4 | 15.0 | 1.6 | 1000 |
| 1008210000VR | 6.4 | 16.0 | 1.6 | 1000 |
| 1000330000VR | 6.4 | 17.0 | 1.6 | 1000 |
| 1020200000VR | 6.4 | 18.0 | 1.5 | 1000 |
| 1007050000VR | 6.4 | 18.0 | 2.0 | 1000 |
| 1007190000VR | 6.4 | 20.0 | 2.0 | 1000 |
| 1007230000VR | 6.4 | 21.0 | 2.0 | 1000 |
| 1007280000VR | 6.4 | 22.0 | 2.0 | 1000 |
| 1007320000VR | 6.4 | 24.0 | 2.0 | 1000 |
| 8041690000VR | 6.4 | 25.0 | 1.6 | 1000 |
| 1006680000VR | 6.4 | 30.0 | 3.0 | 1000 |
| 003060600001 | 6.5 | 14.0 | 1.2 | 500 |
| 1002380000VR | 6.5 | 15.9 | 0.5 | 1000 |
| 8042220000VR | 6.5 | 16.5 | 2.5 | 1000 |
| 1002470000VR | 6.6 | 9.0 | 1.0 | 1000 |
| 003060800001 | 6.6 | 14.3 | 1.4 | 500 |
| 1007130000VR | 7.5 | 18.0 | 1.5 | 1000 |
| 1007140000VR | 7.5 | 18.0 | 2.0 | 1000 |
| 1009800000VR | 7.5 | 20.0 | 2.0 | 1000 |
| 1007240000VR | 7.5 | 21.0 | 2.0 | 1000 |
| 1009750000VR | 7.5 | 22.0 | 1.5 | 1000 |
| 1005890000VR | 7.5 | 22.0 | 2.0 | 1000 |
| 1009810000VR | 7.5 | 24.0 | 2.0 | 1000 |
| 1007300000VR | 7.7 | 12.0 | 2.0 | 1000 |
| 1006710000VR | 8.1 | 14.0 | 1.0 | 1000 |
| 8041120000VR | 8.1 | 14.0 | 2.0 | 1000 |
| 1007930000VR | 8.1 | 14.0 | 3.0 | 1000 |
| 1000360000VR | 8.1 | 15.0 | 3.0 | 1000 |
| 1000370000VR | 8.1 | 16.0 | 1.0 | 1000 |
| 1008730000VR | 8.2 | 12.0 | 1.0 | 1000 |
| 1008740000VR | 8.2 | 12.0 | 2.0 | 1000 |
| 1111580000VR | 8.2 | 12.0 | 3.0 | 1000 |
| 8041340000VR | 8.2 | 14.0 | 1.0 | 1000 |
| 1007060000VR | 8.2 | 15.0 | 1.5 | 1000 |
| 1001400000VR | 8.2 | 16.0 | 1.0 | 1000 |



FORTSÄTTNING PÅ NÄSTA SIDA

Täckbrickor

SR 1946

Svart Nylon 6.6

- Ger god isolering
- Finish av hög kvalitet
- Utmärkt skydd mot skador



| Detaljnr. | Typ | Storlek | Dimensioner (mm) | | | | | Antal/förp. |
|---------------|-----|---------|------------------|----------------|------|-----|-----|-------------|
| | | | d | d ₁ | D | H | h | |
| 007102559901* | 1 | M2.5 | 2.7 | 5.0 | 6.8 | 2.0 | - | 1000 |
| 007202559901† | 2 | M2.5 | 2.7 | 5.0 | 6.8 | 2.0 | 1.0 | 1000 |
| 007503059901 | 2 | M3 | 3.2 | 5.5 | 6.5 | 2.0 | 1.1 | 1000 |
| 007303059901 | 3 | M3 | 3.2 | 7.0 | 14.0 | 2.9 | - | 1000 |
| 007103059901* | 1 | M3 | 3.2 | 6.0 | 8.5 | 2.2 | - | 1000 |
| 007203059901† | 2 | M3 | 3.2 | 6.0 | 8.5 | 2.2 | 1.2 | 1000 |
| 007403059901 | 4 | M3 | 3.2 | 5.5 | 14.0 | 2.8 | 1.7 | 500 |
| 007404059901 | 4 | M4 | 4.3 | 7.0 | 16.0 | 3.5 | 2.3 | 500 |
| 007104059901* | 1 | M4 | 4.3 | 8.0 | 10.5 | 2.8 | - | 1000 |
| 007204059901† | 2 | M4 | 4.3 | 8.0 | 10.5 | 2.8 | 1.7 | 1000 |
| 007304059901 | 3 | M4 | 4.3 | 9.0 | 16.0 | 3.5 | - | 500 |
| 007405059901 | 4 | M5 | 5.3 | 8.5 | 18.0 | 4.0 | 2.7 | 1000 |
| 007105059901* | 1 | M5 | 5.3 | 10.0 | 12.7 | 3.4 | - | 1000 |
| 007205059901 | 2 | M5 | 5.3 | 10.0 | 12.7 | 3.4 | 2.2 | 1000 |
| 007305059901 | 3 | M5 | 5.3 | 11.0 | 18.0 | 3.8 | - | 500 |
| 1070050001VR | 3 | M5 | 5.3 | 18.0 | 14.0 | 3.5 | - | 1000 |
| 007506059901 | 2 | M6 | 6.4 | 10.0 | 12.7 | 3.4 | 2.1 | 500 |
| 007406059901 | 4 | M6 | 6.4 | 10.0 | 22.0 | 4.9 | 3.5 | 1000 |
| 1075050001VR | 2 | M6 | 6.4 | 12.0 | 15.0 | 4.0 | 1.3 | 1000 |
| 007206059901† | 2 | M6 | 6.4 | 12.0 | 15.0 | 4.0 | 2.7 | 1000 |
| 007106059901* | 1 | M6 | 6.4 | 12.0 | 15.0 | 4.0 | - | 500 |
| 007306059901 | 3 | M6 | 6.4 | 13.0 | 22.0 | 4.5 | - | 500 |
| 007108059901* | 1 | M8 | 8.4 | 16.0 | 20.0 | 5.0 | - | 500 |
| 007208059901† | 2 | M8 | 8.4 | 16.0 | 20.0 | 5.0 | 3.5 | 500 |

* DIN 95, 97, 963, 964, 965, 966, 7963, 7972, 7982, 7983, 7991, 7995, 7997


† DIN 85, 96, 7971, 7981, 7985, 7996

Bricka till sänggavel

SR 1924

Naturfärgad LDPE

- Designad att passa för montering av huvudgavel på resårmatrass
- Förhindrar att gavelskivan förstör vägg/tapet




| Detaljnr. | Dimensioner (mm) | | | Antal/förp. |
|-----------|------------------|-----|------|-------------|
| | D | d | H | |
| 110726 | 36.0 | 8.4 | 11.7 | 2000 |

Kupade brickor

SR 1943

Nylon 6.6

- Ger stöd vid hopkoppling av rör



| Detaljnr. | Dimensioner (mm) | | | | (mm) | Antal/förp. |
|--------------|------------------|------|------|----------------|---------|-------------|
| | D | d | H | h ₁ | | |
| 102013000001 | 13.0 | 4.2 | 5.5 | 2.2 | 12 - 14 | 500 |
| 102014000001 | 13.0 | 5.2 | 5.5 | 2.2 | 12 - 14 | 500 |
| 102016000001 | 16.0 | 5.0 | 6.8 | 2.4 | 15 - 17 | 500 |
| 102019000001 | 19.0 | 5.2 | 8.0 | 2.7 | 18 - 20 | 100 |
| 102020000001 | 19.0 | 6.2 | 8.0 | 2.7 | 18 - 20 | 100 |
| 102022000001 | 22.0 | 5.2 | 9.0 | 3.0 | 21 - 23 | 100 |
| 102023000001 | 22.0 | 6.2 | 9.0 | 3.0 | 21 - 23 | 100 |
| 102025000001 | 25.0 | 6.2 | 10.0 | 3.1 | 24 - 26 | 100 |
| 102026000001 | 25.0 | 8.3 | 10.0 | 3.1 | 24 - 26 | 100 |
| 102028000001 | 28.0 | 6.2 | 11.0 | 3.3 | 27 - 29 | 100 |
| 102029000001 | 28.0 | 8.3 | 11.0 | 3.3 | 27 - 29 | 100 |
| 102032000001 | 32.0 | 8.3 | 12.0 | 3.4 | 30 - 34 | 100 |
| 102033000001 | 32.0 | 10.4 | 12.0 | 3.4 | 30 - 34 | 100 |
| 102055000001 | 40.0 | 6.6 | 12.0 | 5.0 | 50 - 60 | 50 |
| 102056000001 | 40.0 | 16.5 | 12.0 | 5.0 | 50 - 60 | 50 |
| 102057000001 | 40.0 | 10.4 | 12.0 | 5.0 | 50 - 60 | 50 |

Kupade brickor

SR 1943

Svart Nylon 6.6



| Detaljnr. | Dimensioner (mm) | | | | (mm) | Antal/förp. |
|--------------|------------------|------|------|----------------|---------|-------------|
| | D | d | H | h ₁ | | |
| 102013059901 | 13.0 | 4.2 | 5.5 | 2.2 | 12 - 14 | 500 |
| 102014059901 | 13.0 | 5.2 | 5.5 | 2.2 | 12 - 14 | 500 |
| 102016059901 | 16.0 | 5.0 | 6.8 | 2.4 | 15 - 17 | 500 |
| 102019059901 | 19.0 | 5.2 | 8.0 | 2.7 | 18 - 20 | 100 |
| 102020059901 | 19.0 | 6.2 | 8.0 | 2.7 | 18 - 20 | 100 |
| 102022059901 | 22.0 | 5.2 | 9.0 | 3.0 | 21 - 23 | 100 |
| 102023059901 | 22.0 | 6.2 | 9.0 | 3.0 | 21 - 23 | 100 |
| 102025059901 | 25.0 | 6.2 | 10.0 | 3.1 | 24 - 26 | 100 |
| 102026059901 | 25.0 | 8.3 | 10.0 | 3.1 | 24 - 26 | 100 |
| 102028059901 | 28.0 | 6.2 | 11.0 | 3.3 | 27 - 29 | 100 |
| 102029059901 | 28.0 | 8.3 | 11.0 | 3.3 | 27 - 29 | 100 |
| 102032059901 | 32.0 | 8.3 | 12.0 | 3.4 | 30 - 34 | 100 |
| 102033059901 | 32.0 | 10.4 | 12.0 | 3.4 | 30 - 34 | 100 |
| 102055059901 | 40.0 | 6.6 | 12.0 | 5.0 | 50 - 60 | 50 |
| 102056059901 | 40.0 | 16.5 | 12.0 | 5.0 | 50 - 60 | 50 |
| 102057059901 | 40.0 | 10.4 | 12.0 | 5.0 | 50 - 60 | 50 |


Beställ prover - gratis!

Bricka

SR 1986

Svart TPG

- Uppfyller: DIN 125, DIN 9021




| Detaljnr. | Storlek | Dimensioner (mm) | | | Antal/förp. |
|--------------|---------|------------------|------|-----|-------------|
| | | d | D | H | |
| 0050042001VR | M3 | 3.2 | 7.0 | 0.5 | 1000 |
| 0040062001VR | M3 | 3.2 | 8.0 | 0.8 | 1000 |
| 1020072001VR | M3 | 3.2 | 9.0 | 0.8 | 1000 |
| 0050152001VR | M4 | 4.3 | 9.0 | 0.8 | 1000 |
| 0040122001VR | M4 | 4.3 | 10.0 | 0.8 | 1000 |
| 1020162001VR | M4 | 4.3 | 12.0 | 1.0 | 1000 |
| 0050232001VR | M5 | 5.3 | 10.0 | 1.0 | 1000 |
| 0040222001VR | M5 | 5.3 | 12.0 | 1.0 | 1000 |
| 1020252001VR | M5 | 5.3 | 15.0 | 1.2 | 1000 |
| 0050322001VR | M6 | 6.4 | 12.0 | 1.6 | 1000 |
| 0040292001VR | M6 | 6.4 | 14.0 | 1.2 | 1000 |
| 1020342001VR | M6 | 6.4 | 18.0 | 1.6 | 1000 |
| 0050412001VR | M8 | 8.4 | 16.0 | 1.6 | 1000 |
| 0040392001VR | M8 | 8.4 | 18.0 | 1.5 | 1000 |
| 1020422001VR | M8 | 8.4 | 24.0 | 2.0 | 1000 |
| 0050472001VR | M10 | 10.5 | 20.0 | 2.0 | 1000 |
| 0040452001VR | M10 | 10.5 | 22.0 | 2.0 | 1000 |
| 1020482001VR | M10 | 10.5 | 30.0 | 2.5 | 1000 |
| 0050552001VR | M12 | 13.0 | 24.0 | 2.5 | 500 |
| 0040532001VR | M12 | 13.0 | 27.0 | 2.5 | 500 |
| 1020582001VR | M12 | 13.0 | 37.0 | 3.0 | 500 |
| 0050612001VR | M14 | 15.0 | 30.0 | 3.0 | 500 |
| 0050652001VR | M16 | 17.0 | 30.0 | 3.0 | 250 |
| 1020632001VR | M16 | 17.0 | 50.0 | 3.0 | 250 |
| 0050702001VR | M18 | 19.0 | 34.0 | 3.0 | 250 |
| 0051012001VR | M20 | 21.0 | 37.0 | 3.0 | 250 |

Låsbrickor

SR 1947

Naturfärgad Nylon 6

- Sätter muttrar och bultar säkert på plats



| Detaljnr. | Storlek | Dimensioner (mm) | | | Antal/förp. |
|--------------|---------|------------------|------|-----|-------------|
| | | d | D | H | |
| 016002000001 | M2 | 2.1 | 5.0 | 2.0 | 1000 |
| 016002500001 | M2.5 | 2.6 | 6.0 | 2.2 | 1000 |
| 016003000001 | M3 | 3.1 | 8.0 | 2.5 | 1000 |
| 016004000001 | M4 | 4.2 | 10.0 | 2.8 | 1000 |
| 016005000001 | M5 | 5.2 | 10.7 | 3.0 | 1000 |
| 016006000001 | M6 | 6.2 | 12.7 | 3.8 | 1000 |
| 016008000001 | M8 | 8.2 | 16.2 | 4.2 | 1000 |
| 016010000001 | M10 | 10.2 | 20.0 | 5.0 | 100 |
| 016012000001 | M12 | 12.2 | 24.0 | 5.2 | 100 |
| 016014000001 | M14 | 14.2 | 26.0 | 5.6 | 1000 |
| 016016000001 | M16 | 16.2 | 30.0 | 5.9 | 100 |
| 016020000001 | M20 | 20.3 | 36.0 | 6.8 | 1000 |

Centrerade packningar med bricka - Imperial

SR 6156

Bricka - stålplåt. Packning - Nitril (NBR) 80



Imperial packnings-kit

| Detaljnr. | Material |
|-----------|----------|
| 490041 | NBR 80 |

Enskilda detaljer

| Detaljnr. | BSP | Kit Qty | Antal/förp. |
|-----------|------|---------|-------------|
| 490070 | 1/8" | 25 | 100 |
| 490071 | 1/4" | 25 | 100 |
| 490072 | 3/8" | 15 | 100 |
| 490073 | 1/2" | 15 | 100 |
| 490074 | 5/8" | 15 | 100 |
| 490075 | 3/4" | 15 | 100 |
| 490076 | 1" | 4 | 100 |

Centrerade packningar med bricka - Imperial

SR 6157

Bricka - stålplåt. Packning - Nitril (NBR) 80



Metrisk packnings-kit

| Detaljnr. | Material |
|-----------|----------|
| 490042 | NBR 80 |

Enskilda detaljer


| Detaljnr. | Metric | Kit Qty | Antal/förp. |
|-----------|--------|---------|-------------|
| 490080 | M8 | 25 | 100 |
| 490081 | M10 | 25 | 100 |
| 490082 | M12 | 15 | 100 |
| 490083 | M16 | 15 | 100 |
| 490084 | M18 | 25 | 100 |
| 490085 | M22 | 10 | 100 |
| 490086 | M24 | 10 | 100 |

Bricka, DIN 125

SR 1940

Svart Nylon 6.6

| Detaljnr. | Dimensioner (mm) | | | | Antal/förp. |
|--------------|------------------|------|------|-----|-------------|
| | Storlek | d | D | H | |
| 0050040001VR | M3 | 3.2 | 7.0 | 0.5 | 100 |
| 0050150001VR | M4 | 4.3 | 9.0 | 0.8 | 100 |
| 0050230001VR | M5 | 5.3 | 10.0 | 1.0 | 100 |
| 0050320001VR | M6 | 6.4 | 12.0 | 1.6 | 100 |
| 0050410001VR | M8 | 8.4 | 16.0 | 1.6 | 100 |
| 0050470001VR | M10 | 10.5 | 20.0 | 2.0 | 100 |
| 0050550001VR | M12 | 13.0 | 24.0 | 2.5 | 100 |




Låsbricka

SR 1945

Naturfärgad HDPE

- Håller skruvar och bultar på plats under monteringen




| Detaljnr. | Storlek | Dimensioner (mm) | | | | Antal/förp. |
|--------------|---------|------------------|------|------|-----|-------------|
| | | d | d1 | d2 | H | |
| 1040040900VR | M3 | 2.5 | 3.2 | 8.0 | 0.8 | 1000 |
| 1040160900VR | M3 | 2.5 | 3.2 | 9.0 | 0.8 | 1000 |
| 1040170900VR | M3 | 2.5 | 3.2 | 10.0 | 0.8 | 1000 |
| 1040180900VR | M3 | 2.5 | 3.2 | 12.8 | 0.8 | 1000 |
| 1040190900VR | M3.5 | 2.9 | 3.7 | 7.0 | 0.5 | 1000 |
| 1040050900VR | M3.5 | 2.9 | 3.7 | 8.0 | 0.5 | 1000 |
| 1040200900VR | M4 | 3.3 | 4.3 | 8.0 | 0.8 | 1000 |
| 1040210900VR | M4 | 3.3 | 4.3 | 9.0 | 0.8 | 1000 |
| 1040070900VR | M4 | 3.3 | 4.3 | 10.0 | 0.8 | 1000 |
| 1040220900VR | M4 | 3.3 | 4.3 | 12.8 | 0.8 | 1000 |
| 1040230900VR | M5 | 4.2 | 5.3 | 10.0 | 1.0 | 1000 |
| 1040080900VR | M5 | 4.2 | 5.3 | 12.0 | 1.0 | 1000 |
| 1040320900VR | M5 | 4.2 | 5.3 | 20.0 | 1.0 | 1000 |
| 1040350900VR | M6 | 4.6 | 6.2 | 9.5 | 1.0 | 1000 |
| 1040340900VR | M6 | 5.2 | 6.4 | 12.0 | 1.2 | 1000 |
| 1040060900VR | M6 | 5.2 | 6.4 | 12.0 | 1.6 | 1000 |
| 1040240900VR | M6 | 5.2 | 6.4 | 12.5 | 1.6 | 1000 |
| 1040090900VR | M6 | 5.2 | 6.4 | 14.0 | 1.2 | 1000 |
| 1040250900VR | M6 | 5.2 | 6.4 | 15.0 | 1.6 | 1000 |
| 1040260900VR | M6 | 5.2 | 6.4 | 16.0 | 1.6 | 1000 |
| 1040270900VR | M6 | 5.2 | 6.4 | 17.0 | 1.6 | 1000 |
| 1040360900VR | M8 | 6.6 | 8.4 | 12.0 | 1.6 | 1000 |
| 1040100900VR | M8 | 6.6 | 8.4 | 18.0 | 1.5 | 1000 |
| 1040280900VR | M10 | 8.2 | 10.5 | 20.0 | 2.0 | 1000 |
| 1040110900VR | M10 | 8.2 | 10.5 | 22.0 | 2.0 | 1000 |
| 1040290900VR | M10 | 8.2 | 10.5 | 24.0 | 2.0 | 1000 |
| 1040140900VR | M12 | 10.7 | 13.0 | 24.0 | 2.5 | 500 |
| 1040120900VR | M12 | 10.7 | 13.0 | 27.0 | 2.5 | 500 |
| 1040300900VR | M12 | 10.7 | 13.0 | 30.0 | 2.5 | 500 |
| 1040130900VR | M16 | 13.6 | 17.0 | 32.0 | 3.0 | 250 |

Låsbricka

SR 1940

Naturfärgad Nylon 6.6

- Isolerar mot fukt och el



| Detaljnr. | Dimensioner (mm) | | | | Antal/förp. |
|---------------|------------------|------|------|-----|-------------|
| | Storlek | d | D | H | |
| 031025000001 | M2 | 2.7 | 5.0 | 1.5 | 1000 |
| 031030000001 | M3 | 3.2 | 5.5 | 2.2 | 1000 |
| 032030000001 | M3 | 3.2 | 9.0 | 1.5 | 1000 |
| 033030000001 | M3 | 3.2 | 15.0 | 1.5 | 500 |
| 031040000001 | M4 | 4.3 | 7.0 | 2.3 | 1000 |
| 032040000001 | M4 | 4.3 | 12.0 | 1.4 | 1000 |
| 031050000001 | M5 | 5.3 | 8.5 | 2.8 | 1000 |
| 003050000001 | M5 | 5.3 | 11.5 | 1.4 | 1000 |
| 032050000001† | M5 | 5.3 | 15.0 | 1.5 | 500 |
| 031060000001 | M6 | 6.4 | 10.0 | 2.8 | 1000 |
| 032060000001† | M6 | 6.4 | 18.0 | 2.0 | 500 |
| 003100000001* | M10 | 10.5 | 21.0 | 2.5 | 500 |
| 031080000001 | M8 | 8.4 | 13.0 | 2.8 | 500 |


* DIN 125 † DIN 9021

Bricka, NF E 25-513/25-514

SR 1940

Naturfärgad Nylon 6.6

- Måttolerans enl. angiven DIN standard.




| Detaljnr. | Dimensioner (mm) | | | | Antal/förp. |
|--------------|------------------|------|------|-----|-------------|
| | Storlek | d | D | H | |
| 0040020000VR | M2 | 2.2 | 5.5 | 0.5 | 1000 |
| 0040040000VR | M2.5 | 2.7 | 7.0 | 0.5 | 1000 |
| 0040060000VR | M3 | 3.2 | 8.0 | 0.8 | 1000 |
| 0040120000VR | M4 | 4.3 | 10.0 | 0.8 | 1000 |
| 0040220000VR | M5 | 5.3 | 12.0 | 1.0 | 1000 |
| 0040290000VR | M6 | 6.4 | 14.0 | 1.2 | 1000 |
| 0040390000VR | M8 | 8.4 | 18.0 | 1.5 | 1000 |
| 0040450000VR | M10 | 10.5 | 22.0 | 2.0 | 1000 |
| 0040530000VR | M12 | 13.0 | 27.0 | 2.5 | 500 |
| 0040550000VR | M14 | 15.0 | 30.0 | 2.5 | 500 |
| 0040640000VR | M16 | 17.0 | 32.0 | 3.0 | 250 |
| 0040650000VR | M18 | 19.0 | 36.0 | 3.0 | 250 |
| 0040700000VR | M20 | 21.0 | 40.0 | 3.0 | 250 |
| 0040750000VR | M24 | 25.0 | 49.0 | 4.0 | 250 |
| 0040800000VR | M30 | 31.0 | 60.0 | 4.0 | 250 |

Bricka, DIN 433

SR 1940

Naturfärgad Nylon 6.6

- Måttolerans enl. angiven DIN standard.




| Detaljnr. | Dimensioner (mm) | | | | Antal/förp. |
|--------------|------------------|------|------|-----|-------------|
| | Storlek | d | D | H | |
| 041025100001 | M2 | 2.7 | 5.0 | 0.5 | 1000 |
| 1010050000VR | M3 | 3.2 | 6.0 | 0.5 | 1000 |
| 041030000001 | M3 | 3.2 | 6.0 | 1.0 | 1000 |
| 041050000001 | M5 | 5.4 | 10.1 | 1.0 | 1000 |
| 1010140000VR | M4 | 4.3 | 8.0 | 0.5 | 1000 |
| 1010260000VR | M5 | 5.3 | 9.0 | 1.0 | 1000 |
| 041040000001 | M3 | 4.3 | 8.0 | 1.0 | 1000 |
| 041060000001 | M6 | 6.4 | 11.0 | 1.5 | 1000 |
| 1010310000VR | M6 | 6.4 | 11.0 | 1.6 | 1000 |
| 1010360000VR | M8 | 8.4 | 15.0 | 1.6 | 1000 |
| 1010460000VR | M10 | 10.5 | 18.0 | 1.6 | 1000 |
| 032100000001 | M10 | 10.5 | 30.0 | 3.0 | 250 |
| 1010540000VR | M12 | 13.0 | 20.0 | 2.0 | 500 |
| 003120000001 | M12 | 13.0 | 24.0 | 2.5 | 500 |
| 032120000001 | M12 | 13.0 | 40.0 | 3.0 | 250 |
| 1010640000VR | M14 | 15.0 | 24.0 | 2.5 | 500 |
| 1010700000VR | M16 | 17.0 | 28.0 | 2.5 | 250 |
| 003160000001 | M16 | 17.0 | 30.0 | 3.0 | 250 |
| 1010750000VR | M20 | 21.0 | 34.0 | 3.0 | 250 |
| 1010780000VR | M24 | 25.0 | 39.0 | 4.0 | 250 |
| 1010800000VR | M30 | 31.0 | 50.0 | 4.0 | 250 |

Bricka, DIN 125

SR 1940

Naturfärgad Nylon 6.6

- Måttolerans enl. angiven DIN standard.




| Detaljnr. | Dimensioner (mm) | | | | Antal/förp. |
|--------------|------------------|------|------|-----|-------------|
| | Storlek | d | D | H | |
| 0050010000VR | M2 | 2.2 | 5.0 | 0.3 | 1000 |
| 0050780000VR | M2.5 | 2.7 | 6.0 | 0.5 | 1000 |
| 0050040000VR | M3 | 3.2 | 7.0 | 0.5 | 1000 |
| 0050920000VR | M3.5 | 3.7 | 8.0 | 0.5 | 1000 |
| 0050150000VR | M4 | 4.3 | 9.0 | 0.8 | 1000 |
| 0050230000VR | M5 | 5.3 | 10.0 | 1.0 | 1000 |
| 0050320000VR | M6 | 6.4 | 12.0 | 1.6 | 1000 |
| 0050410000VR | M8 | 8.4 | 16.0 | 1.6 | 1000 |
| 0050470000VR | M10 | 10.5 | 20.0 | 2.0 | 1000 |
| 0050550000VR | M12 | 13.0 | 24.0 | 2.5 | 500 |
| 0050610000VR | M14 | 15.0 | 30.0 | 3.0 | 500 |
| 0050650000VR | M16 | 17.0 | 30.0 | 3.0 | 250 |
| 0050700000VR | M18 | 19.0 | 34.0 | 3.0 | 250 |
| 0051010000VR | M20 | 21.0 | 37.0 | 3.0 | 250 |
| 0051030000VR | M24 | 25.0 | 44.0 | 4.0 | 250 |
| 0051270000VR | M27 | 28.0 | 50.0 | 4.0 | 250 |
| 0051300000VR | M30 | 31.0 | 56.0 | 4.0 | 250 |
| 0051360000VR | M36 | 37.0 | 66.0 | 5.0 | 250 |
| 0051390000VR | M39 | 40.0 | 72.0 | 6.0 | 250 |

Bricka, DIN 9021

SR 1940

Naturfärgad Nylon 6.6

- Måttolerans enl. angiven DIN standard.




| Detaljnr. | Dimensioner (mm) | | | | Antal/förp. |
|--------------|------------------|------|------|-----|-------------|
| | Storlek | d | D | H | |
| 1020070000VR | M3 | 3.2 | 9.0 | 0.8 | 1000 |
| 1020160000VR | M4 | 4.3 | 12.0 | 1.0 | 1000 |
| 1020250000VR | M5 | 5.3 | 15.0 | 1.2 | 1000 |
| 032050100001 | M5 | 5.3 | 15.0 | 1.5 | 500 |
| 1020340000VR | M6 | 6.4 | 18.0 | 1.6 | 1000 |
| 032060100001 | M6 | 6.4 | 18.0 | 2.0 | 500 |
| 1020420000VR | M8 | 8.4 | 23.8 | 2.0 | 1000 |
| 032080000001 | M8 | 8.4 | 25.0 | 2.5 | 500 |
| 1020480000VR | M10 | 10.5 | 30.0 | 2.5 | 1000 |
| 032100100001 | M10 | 10.5 | 30.0 | 3.0 | 250 |
| 1020580000VR | M12 | 13.0 | 37.0 | 3.0 | 500 |
| 032120100001 | M12 | 13.0 | 40.0 | 3.0 | 100 |
| 1020630000VR | M16 | 17.0 | 50.0 | 3.0 | 250 |
| 1020680000VR | M20 | 22.0 | 60.0 | 4.0 | 250 |
| 1020700000VR | M24 | 26.0 | 72.0 | 5.0 | 250 |

Bricka FORTSÄTTNING

SR 1940

Naturfärgad Nylon 6.6



| Detaljnr. | Dimensioner(mm) | | | Antal/förp. |
|--------------|-----------------|------|-----|-------------|
| | d | D | H | |
| 1001410000VR | 8.2 | 16.0 | 1.5 | 1000 |
| 1001420000VR | 8.2 | 16.0 | 2.0 | 1000 |
| 1001430000VR | 8.2 | 16.0 | 3.0 | 1000 |
| 0040160000VR | 8.2 | 18.0 | 1.5 | 1000 |
| 1008780000VR | 8.2 | 25.0 | 1.0 | 1000 |
| 1008810000VR | 8.2 | 30.0 | 1.0 | 1000 |
| 1008820000VR | 8.2 | 30.0 | 2.0 | 1000 |
| 1001450000VR | 8.2 | 30.0 | 3.0 | 1000 |
| 1008220000VR | 8.4 | 12.0 | 1.6 | 1000 |
| 1008120000VR | 8.4 | 12.5 | 1.6 | 1000 |
| 1006720000VR | 8.4 | 13.0 | 2.5 | 1000 |
| 1006730000VR | 8.4 | 15.0 | 1.5 | 1000 |
| 0050350000VR | 8.4 | 17.0 | 1.6 | 1000 |
| 003080000001 | 8.4 | 17.0 | 2.0 | 500 |
| 1001470000VR | 8.4 | 20.0 | 2.0 | 1000 |
| 1007250000VR | 8.4 | 21.0 | 2.0 | 1000 |
| 1008140000VR | 8.4 | 22.0 | 2.0 | 1000 |
| 1020220000VR | 8.4 | 25.0 | 2.0 | 1000 |
| 1006740000VR | 8.4 | 40.0 | 3.0 | 1000 |
| 1001480000VR | 8.5 | 25.0 | 2.5 | 1000 |
| 1008310000VR | 9.0 | 14.4 | 3.0 | 1000 |
| 1007040000VR | 9.0 | 18.0 | 2.0 | 1000 |
| 1007200000VR | 9.0 | 20.0 | 2.0 | 1000 |
| 1007260000VR | 9.0 | 21.0 | 2.0 | 1000 |
| 1007290000VR | 9.0 | 22.0 | 2.0 | 1000 |
| 1007330000VR | 9.0 | 24.0 | 2.0 | 1000 |
| 1005120000VR | 9.2 | 14.5 | 2.0 | 1000 |
| 1007520000VR | 9.2 | 16.0 | 1.6 | 1000 |
| 1006750000VR | 9.6 | 18.0 | 1.2 | 1000 |
| 1006760000VR | 10.2 | 17.0 | 2.0 | 1000 |
| 1001530000VR | 10.2 | 20.0 | 1.0 | 1000 |
| 0040180000VR | 10.2 | 22.0 | 2.0 | 1000 |
| 1008860000VR | 10.2 | 25.0 | 1.0 | 1000 |
| 1008870000VR | 10.2 | 25.0 | 2.0 | 1000 |
| 1008880000VR | 10.2 | 25.0 | 3.0 | 1000 |
| 8041590000VR | 10.5 | 16.0 | 2.0 | 1000 |
| 1010470000VR | 10.5 | 18.0 | 1.5 | 1000 |
| 1007160000VR | 10.5 | 18.0 | 2.0 | 1000 |
| 0050400000VR | 10.5 | 21.0 | 2.0 | 1000 |
| 003101800001 | 10.5 | 21.0 | 2.5 | 500 |
| 1008150000VR | 10.5 | 24.0 | 2.0 | 1000 |
| 1008160000VR | 10.5 | 24.0 | 2.5 | 1000 |
| 1008170000VR | 10.5 | 27.0 | 2.5 | 1000 |
| 1008320000VR | 10.5 | 30.0 | 3.0 | 1000 |
| 1007350000VR | 10.5 | 34.0 | 3.0 | 1000 |
| 1007360000VR | 10.5 | 36.0 | 3.0 | 1000 |
| 1005100000VR | 10.5 | 37.0 | 3.0 | 1000 |
| 1007370000VR | 10.5 | 39.5 | 3.0 | 1000 |
| 1006320000VR | 10.5 | 50.0 | 3.0 | 1000 |
| 1000990000VR | 11.0 | 27.0 | 2.5 | 1000 |
| 1006770000VR | 11.2 | 18.0 | 1.2 | 1000 |
| 1007170000VR | 12.0 | 18.0 | 2.0 | 1000 |
| 1007210000VR | 12.0 | 20.0 | 2.0 | 1000 |
| 1007030000VR | 12.0 | 21.0 | 2.0 | 1000 |
| 1007310000VR | 12.0 | 22.0 | 2.0 | 1000 |
| 1007340000VR | 12.0 | 24.0 | 2.0 | 1000 |
| 1006780000VR | 12.2 | 24.0 | 1.3 | 1000 |
| 1000520000VR | 12.5 | 24.0 | 2.5 | 1000 |
| 0040200000VR | 12.5 | 27.0 | 2.5 | 1000 |
| 1112000000VR | 12.8 | 18.0 | 3.0 | 1000 |
| 1007180000VR | 13.0 | 18.0 | 2.0 | 1000 |
| 1001620000VR | 13.0 | 20.0 | 1.0 | 1000 |
| 1007270000VR | 13.0 | 21.0 | 2.0 | 1000 |
| 1008340000VR | 13.0 | 22.0 | 2.0 | 1000 |
| 1008350000VR | 13.0 | 24.0 | 2.0 | 1000 |
| 003121500001 | 13.0 | 24.0 | 2.5 | 500 |
| 1008390000VR | 13.0 | 30.0 | 3.0 | 1000 |

| Detaljnr. | Dimensioner(mm) | | | Antal/förp. |
|--------------|-----------------|------|-----|-------------|
| | d | D | H | |
| 1007380000VR | 13.0 | 34.0 | 3.0 | 1000 |
| 1007390000VR | 13.0 | 36.0 | 3.0 | 1000 |
| 1020570000VR | 13.0 | 40.0 | 3.0 | 1000 |
| 1007400000VR | 13.0 | 50.0 | 3.0 | 1000 |
| 1007020000VR | 13.3 | 18.0 | 1.5 | 1000 |
| 1007120000VR | 13.3 | 22.0 | 1.5 | 1000 |
| 003120500001 | 13.4 | 24.0 | 1.4 | 500 |
| 1007950000VR | 14.0 | 20.0 | 1.0 | 1000 |
| 1001650000VR | 14.5 | 25.0 | 3.0 | 1000 |
| 1007960000VR | 14.5 | 28.0 | 1.0 | 1000 |
| 1001670000VR | 14.5 | 30.0 | 2.5 | 1000 |
| 1006010000VR | 14.5 | 32.0 | 3.0 | 1000 |
| 1008230000VR | 15.0 | 26.0 | 2.0 | 1000 |
| 1008240000VR | 15.0 | 27.0 | 2.5 | 1000 |
| 003140000001 | 15.0 | 28.0 | 2.5 | 250 |
| 1007420000VR | 15.0 | 36.0 | 3.0 | 1000 |
| 1008410000VR | 15.0 | 37.0 | 3.0 | 250 |
| 1008420000VR | 15.0 | 40.0 | 3.0 | 1000 |
| 1007430000VR | 15.0 | 50.0 | 3.0 | 1000 |
| 003140300001 | 15.2 | 26.0 | 1.4 | 250 |
| 1009690000VR | 16.0 | 22.0 | 3.0 | 1000 |
| 1008260000VR | 16.0 | 27.0 | 2.0 | 1000 |
| 1009350000VR | 16.2 | 25.0 | 3.0 | 1000 |
| 1009380000VR | 16.2 | 30.0 | 3.0 | 250 |
| 0040240000VR | 16.5 | 32.0 | 3.0 | 1000 |
| 1006390000VR | 17.0 | 23.0 | 3.0 | 1000 |
| 8041080000VR | 17.0 | 28.0 | 2.0 | 250 |
| 003160900001 | 17.0 | 30.0 | 3.0 | 250 |
| 1007440000VR | 17.0 | 34.0 | 3.0 | 1000 |
| 1007450000VR | 17.0 | 36.0 | 3.0 | 1000 |
| 1008430000VR | 17.0 | 37.0 | 3.0 | 1000 |
| 1008440000VR | 17.0 | 40.0 | 3.0 | 1000 |
| 003160500001 | 17.2 | 26.0 | 1.4 | 250 |
| 1008270000VR | 17.5 | 27.0 | 2.0 | 1000 |
| 1001710000VR | 18.5 | 36.0 | 3.0 | 1000 |
| 1007460000VR | 19.0 | 30.0 | 3.0 | 1000 |
| 1005110000VR | 19.0 | 37.0 | 3.0 | 1000 |
| 1007470000VR | 19.0 | 40.0 | 3.0 | 1000 |
| 1007480000VR | 19.0 | 50.0 | 3.0 | 1000 |
| 003180500001 | 19.2 | 34.0 | 1.5 | 100 |
| 1009540000VR | 20.2 | 30.0 | 1.0 | 500 |
| 1008450000VR | 21.0 | 30.0 | 3.0 | 500 |
| 1007490000VR | 21.0 | 36.0 | 3.0 | 500 |
| 003200000001 | 21.0 | 37.0 | 3.0 | 100 |
| 1007500000VR | 21.0 | 50.0 | 3.0 | 500 |
| 003200300001 | 21.2 | 34.0 | 1.5 | 100 |
| 1006840000VR | 22.2 | 34.0 | 1.5 | 1000 |
| 1001770000VR | 23.0 | 40.0 | 2.5 | 500 |
| 1006860000VR | 25.2 | 40.0 | 1.7 | 250 |
| 1005230000VR | 26.0 | 35.0 | 1.0 | 500 |
| 1009720000VR | 38.0 | 41.8 | 3.0 | 500 |